

# Article - Ankle-Foot/Knee-Ankle-Foot Orthoses - Policy Article (A52457)

Links in PDF documents are not guaranteed to work. To follow a web link, please use the MCD Website.

## Contractor Information

CONTRACTOR NAME	CONTRACT TYPE	CONTRACT NUMBER	JURISDICTION	STATES
<a href="#">CGS Administrators, LLC</a>	DME MAC	17013 - DME MAC	J-B	Illinois Indiana Kentucky Michigan Minnesota Ohio Wisconsin
<a href="#">CGS Administrators, LLC</a>	DME MAC	18003 - DME MAC	J-C	Alabama Arkansas Colorado Florida Georgia Louisiana Mississippi New Mexico North Carolina Oklahoma Puerto Rico South Carolina Tennessee Texas Virgin Islands Virginia West Virginia
<a href="#">Noridian Healthcare Solutions, LLC</a>	DME MAC	16013 - DME MAC	J-A	Connecticut Delaware District of Columbia Maine Maryland Massachusetts New Hampshire New Jersey New York - Entire State Pennsylvania Rhode Island Vermont

CONTRACTOR NAME	CONTRACT TYPE	CONTRACT NUMBER	JURISDICTION	STATES
<a href="#">Noridian Healthcare Solutions, LLC</a>	DME MAC	19003 - DME MAC	J-D	Alaska American Samoa Arizona California - Entire State Guam Hawaii Idaho Iowa Kansas Missouri - Entire State Montana Nebraska Nevada North Dakota Northern Mariana Islands Oregon South Dakota Utah Washington Wyoming

## Article Information

### General Information

**Article ID**

A52457

**Article Title**

Ankle-Foot/Knee-Ankle-Foot Orthoses - Policy Article

**Article Type**

Article

**Original Effective Date**

10/01/2015

**Revision Effective Date**

02/01/2021

**Revision Ending Date**

N/A

**AMA CPT / ADA CDT / AHA NUBC Copyright Statement**

CPT codes, descriptions and other data only are copyright 2021 American Medical Association. All Rights Reserved. Applicable FARS/HHSARS apply.

Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein.

Current Dental Terminology © 2021 American Dental Association. All rights reserved.

Copyright © 2013 - 2022, the American Hospital Association, Chicago, Illinois. Reproduced by CMS with permission. No portion of the American Hospital Association (AHA) copyrighted materials contained within this publication may be copied without the express written consent of the AHA. AHA copyrighted materials including the UB-04 codes and descriptions may not be removed, copied, or utilized within any software, product, service, solution or derivative work without the written consent of the AHA. If an entity wishes to utilize any AHA materials, please contact the AHA at 312-

## Retirement Date

N/A

893-6816. Making copies or utilizing the content of the UB-04 Manual, including the codes and/or descriptions, for internal purposes, resale and/or to be used in any product or publication; creating any modified or derivative work of the UB-04 Manual and/or codes and descriptions; and/or making any commercial use of UB-04 Manual or any portion thereof, including the codes and/or descriptions, is only authorized with an express license from the American Hospital Association. To license the electronic data file of UB-04 Data Specifications, contact Tim Carlson at (312) 893-6816. You may also contact us at [ub04@aha.org](mailto:ub04@aha.org).

# Article Guidance

## Article Text

### NON-MEDICAL NECESSITY COVERAGE AND PAYMENT RULES

For any item to be covered by Medicare, it must 1) be eligible for a defined Medicare benefit category, 2) be reasonable and necessary for the diagnosis or treatment of illness or injury or to improve the functioning of a malformed body member, and 3) meet all other applicable Medicare statutory and regulatory requirements. Information provided in this policy article relates to determinations other than those based on Social Security Act §1862(a)(1)(A) provisions (i.e. "reasonable and necessary").

For a beneficiary's orthosis to be eligible for reimbursement the reasonable and necessary (R&N) requirements set out in the related Local Coverage Determination must be met. In addition, there are specific statutory payment policy requirements, discussed below, that also must be met.

Ankle-foot orthoses (AFO) and knee-ankle-foot orthoses (KAFO) are covered under the Medicare braces benefit (Social Security Act §1861(s)(9)). For coverage under this benefit, the orthosis must be a rigid or semi-rigid device, which is used for the purpose of supporting a weak or deformed body member or restricting or eliminating motion in a diseased or injured part of the body. Items that are not sufficiently rigid to be capable of providing the necessary immobilization or support to the body part for which it is designed do not meet the statutory definition of the braces benefit. Items that do not meet the definition of a brace are statutorily noncovered, no benefit.

Both "off-the-shelf" (OTS) and custom-fit items are considered prefabricated braces for Medicare coding purposes. 42 CFR §414.402 establishes that correct coding of AFO and KAFO items is dependent upon whether there is a need for "minimal self-adjustment" during the final fitting at the time of delivery. (See definitions below in CODING GUIDELINES.) If a custom fit code is billed when minimal self-adjustment was provided at the final delivery, or if an OTS code is billed when more than minimal self-adjustments were made at the final delivery, the claims will be denied as incorrect coding.

A prefabricated orthosis is one, which is manufactured in quantity without a specific beneficiary in mind. A prefabricated orthosis may be considered an OTS or a custom fitted device that may be trimmed, bent, molded (with or without heat), or otherwise modified for use by a specific beneficiary. An orthosis that is assembled from prefabricated components is considered prefabricated. It is inherent in the definition of prefabricated that a particular item is complete.

A custom-fabricated orthosis is one, which is individually made for a specific beneficiary starting with basic materials including, but not limited to, plastic, metal, leather, or cloth in the form of sheets, bars, etc. It involves substantial work such as cutting, bending, molding, sewing, etc. It may involve the incorporation of some prefabricated components. It involves more than trimming, bending, or making other modifications to a substantially prefabricated item. Custom-fabricated additions are appropriate only for custom-fabricated base orthotics and should not be billed with prefabricated base orthotics.

A static/dynamic ankle-foot orthosis (AFO) (L4396, L4397) and replacement interface (L4392) are denied as noncovered (no Medicare benefit) when they are used solely for the prevention or treatment of a heel pressure ulcer because for these indications they are not used to support a weak or deformed body member or to restrict or eliminate motion in a diseased or injured part of the body (i.e., it does not meet the definition of a brace).

A foot drop splint/recumbent positioning device (L4398) and replacement interface (L4394) are denied as noncovered (no Medicare benefit) when they are used solely for the prevention or treatment of a pressure ulcer because for these indications they are not used to support a weak or deformed body member or to restrict or eliminate motion in a diseased or injured part of the body (i.e., it does not meet the definition of a brace).

Elastic or other fabric support garments (A4467 (BELT, STRAP, SLEEVE, GARMENT, OR COVERING, ANY TYPE)) with or without stays or panels do not meet the statutory definition of a brace because they are not rigid or semi-rigid devices. Code A4467 is denied as noncovered (no Medicare benefit). Refer to the CODING GUIDELINES section below for additional information.

A foot pressure off-loading/supportive device (A9283) is denied as noncovered (no Medicare benefit), because it does not support a weak or deformed body member or restrict or eliminate motion in a diseased or injured part of the body.

An inversion/eversion correction device (A9285) is denied as noncovered (no Medicare benefit), because it does not act as a brace; that is, it does not support a weak or deformed body member or restrict or eliminate motion in a diseased or injured part of the body.

Socks (L2840, L2850) used in conjunction with orthoses are denied as noncovered (no Medicare benefit).

Refer to the Orthopedic Footwear policy for information on coverage of shoes and related items which are an integral part of a brace.

There is no separate payment if computer-aided design/computer-aided manufacturing (CAD/CAM) technology is used to fabricate an orthosis. Reimbursement is included in the allowance of the codes for custom fabricated orthoses.

Evaluation of the beneficiary, measurement and/or casting, and fitting/adjustments of the orthosis are included in the allowance for the orthosis. There is no separate payment for these services.

Payment for ankle-foot orthoses or knee-ankle foot orthoses are included in the payment to a hospital or skilled nursing facility (SNF) if:

1. The orthosis is provided to a beneficiary prior to an inpatient hospital admission or Part A covered SNF stay; and,
2. The medical necessity for the orthosis begins during the hospital or SNF stay (e.g., after ankle, foot, or knee surgery).

A claim should not be submitted to the DME MAC in this situation.

Payment for ankle-foot orthoses or knee-ankle foot orthoses are also included in the payment to a hospital or a Part A covered SNF stay if:

1. The orthosis is provided to a beneficiary during an inpatient hospital or Part A covered SNF stay prior to the day of discharge; and,

2. The beneficiary uses the item for medically necessary inpatient treatment or rehabilitation.

A claim must not be submitted to the DME MAC in this situation.

Payment for ankle-foot orthoses or knee-ankle foot orthoses delivered to a beneficiary in a hospital or a Part A covered SNF stay is eligible for coverage by the DME MAC if:

1. The orthosis is medically necessary for a beneficiary after discharge from a hospital or Part A covered SNF stay; and,
2. The orthosis is provided to the beneficiary within two days prior to discharge to home; and,
3. The orthosis is not needed for inpatient treatment or rehabilitation but is left in the room for the beneficiary to take home.

## **REQUIREMENTS FOR SPECIFIC DMEPOS ITEMS PURSUANT TO Final Rule 1713 (84 Fed. Reg Vol 217)**

Final Rule 1713 (84 Fed. Reg Vol 217) requires a face-to-face encounter and a Written Order Prior to Delivery (WOPD) for specified HCPCS codes. CMS and the DME MACs provide a list of the specified codes, which is periodically updated. The required Face-to-Face Encounter and Written Order Prior to Delivery List is available [here](#).

Claims for the specified items subject to Final Rule 1713 (84 Fed. Reg Vol 217) that do not meet the face-to-face encounter and WOPD requirements specified in the LCD-related Standard Documentation Requirements Article (A55426) will be denied as not reasonable and necessary.

If a supplier delivers an item prior to receipt of a WOPD, it will be denied as not reasonable and necessary. If the WOPD is not obtained prior to delivery, payment will not be made for that item even if a WOPD is subsequently obtained by the supplier. If a similar item is subsequently provided by an unrelated supplier who has obtained a WOPD, it will be eligible for coverage.

## **POLICY SPECIFIC DOCUMENTATION REQUIREMENTS**

In addition to policy specific documentation requirements, there are general documentation requirements that are applicable to all DMEPOS policies. These general requirements are located in the DOCUMENTATION REQUIREMENTS section of the LCD.

Refer to the LCD-related Standard Documentation Requirements article, located at the bottom of this Policy Article under the Related Local Coverage Documents section for additional information regarding GENERAL DOCUMENTATION REQUIREMENTS and the POLICY SPECIFIC DOCUMENTATION REQUIREMENTS discussed below.

### **General Requirements**

The supplier must include on the claim line the diagnosis code(s) for HCPCS codes L4396, L4397, L4392 and L4631.

For a custom-fabricated orthosis, there must be documentation in the supplier's records to support the medical necessity of that type device rather than a prefabricated orthosis. This information must be available upon request.

When providing orthoses suppliers must:

- Provide the product that is specified by the treating practitioner
- Be sure that the treating practitioner's medical record justifies the need for the type of product (i.e., prefabricated versus custom fabricated)
- Only bill for the HCPCS code that accurately reflects both the type of orthosis and the appropriate level of fitting
- Have detailed documentation in the supplier's record that justifies the code selected

For prefabricated orthoses (L1902, L1906, L1910, L1930, L1932, L1951, L1971, L2035, L2112, L2114, L2116, L2132, L2134, L2136, L4350, L4360, L4361, L4370, L4386, L4387, L4396, L4397, L4398), there is no physical difference between orthoses coded as custom fitted versus those coded as OTS. The differentiating factor for proper coding (see definitions in CODING GUIDELINES section below) is the need for “minimal self-adjustment” at the time of fitting by the beneficiary, caretaker for the beneficiary, or supplier. This minimal self-adjustment does not require the services of a certified orthotist or an individual who has specialized training. Items requiring minimal self-adjustment are coded as OTS orthoses. For example, adjustment of straps and closures, bending or trimming for final fit or comfort (not all-inclusive) fall into this category.

Fabrication of an orthosis using CAD/CAM or similar technology without the creation of a positive model with minimal self-adjustment at delivery is considered as OTS.

Items requiring more than minimal self-adjustment by a qualified practitioner (as defined in the CODING GUIDELINES below) are coded as custom fitted (L1910, L1930, L1932, L1951, L1971, L2035, L2112, L2114, L2116, L2132, L2134, L2136, L4360, L4386, L4396). Documentation must be sufficiently detailed to include, but is not limited to, a detailed description of the modifications necessary at the time of fitting the orthosis to the beneficiary. This information must be available upon request.

For custom fabricated orthoses (L1904, L1907, L1920, L1940, L1945, L1950, L1960, L1970, L1980, L1990, L2000, L2005, L2006, L2010, L2020, L2030, L2034, L2036, L2037, L2038, L2106, L2108, L2126, L2128, L4631), there must be detailed documentation in the treating practitioner's records to support the medical necessity of custom fabricated rather than a prefabricated orthosis as described in the Coverage Indications, Limitations, and/or Medical Necessity section of the related LCD. This information will be corroborated by the functional evaluation in the orthotist or prosthetist's records. This information must be available upon request.

## MODIFIERS

GA, GZ, KX, LT, and RT MODIFIERS:

Suppliers must add a KX modifier to the AFO/KAFO base and addition codes only if all of the coverage criteria in the “Coverage Indications, Limitations, and/or Medical Necessity” section in the related LCD have been met and evidence of such is retained in the supplier's files and available to the DME MAC upon request.

If all of the criteria in the Coverage Indications, Limitations, and/or Medical Necessity section of the related LCD have not been met, the GA or GZ modifier must be added to the code. When there is an expectation of a medical necessity denial, suppliers must enter the GA modifier on the claim line if they have obtained a properly executed Advance Beneficiary Notice (ABN) or the GZ modifier if they have not obtained a valid ABN.

Claim lines billed with codes without a KX, GA or GZ modifier will be rejected as missing information.

The right (RT) and left (LT) modifiers must be used with orthosis base codes, additions, and replacement parts (refer to the CODING GUIDELINES section for additional information).

## MISCELLANEOUS

If the item is custom fabricated and does not have a specific HCPCS code, a complete and clear description of the item, including what makes this item unique, and a breakdown of charges (material and labor used in fabrication) should be entered in the narrative field of an electronic claim or on Item 19 of a paper claim. (Refer to the LCD-related Standard Documentation Requirements article (A55426) for more information regarding billing of items with HCPCS codes that include miscellaneous, NOC, unlisted, or non-specified in their narrative descriptions.)

A claim for code L4205 must include an explanation of what is being repaired. A claim for code L4210 must include a description of each item that is billed. This information should be entered in the narrative field of an electronic claim.

All codes for orthoses or repairs of orthoses billed with the same date of service must be submitted on the same claim.

Refer to the Orthopedic Footwear policy for information on documentation requirements for shoes and related items which are an integral part of a brace.

## CODING GUIDELINES

Off-the-shelf (OTS) orthotics are:

- Items that are prefabricated.
- They may or may not be supplied as a kit that requires some assembly. Assembly of the item and/or installation of add-on components and/or the use of some basic materials in preparation of the item does not change classification from OTS to custom fitted.
- OTS items require minimal self-adjustment for fitting at the time of delivery for appropriate use and do not require expertise in trimming, bending, and molding, assembling, or customizing to fit an individual.
- This fitting does not require expertise of a certified orthotist or an individual who has specialized training in the provision of orthoses to fit the item to the individual beneficiary.

The term “minimal self-adjustment” is defined at 42 CFR §414.402 as an adjustment the beneficiary, caregiver for the beneficiary, or supplier of the device can perform and that does not require the services of a certified orthotist (that is, an individual who is certified by the American Board for Certification in Orthotics and Prosthetics, Inc., or by the Board for Orthotist/Prosthetist Certification) or an individual who has specialized training. For example, adjustment of straps and closures, bending or trimming for final fit or comfort (not all-inclusive) fall into this category. See “more than minimal self-adjustment” definition below for additional information.

Use of CAD/CAM or similar technology to create an orthosis without a positive model of the patient may be considered as OTS if the final fitting upon delivery to the patient requires minimal self-adjustment not requiring expertise as described in this section.

Custom fitted orthotics are:

- Devices that are prefabricated.
- They may or may not be supplied as a kit that requires some assembly. Assembly of the item and/or installation of add-on components and/or the use of some basic materials in preparation of the item does not change classification from OTS to custom fitted.
- Classification as custom fitted requires more than minimal self-adjustment for fitting at the time of delivery in order to provide an individualized fit, i.e., the item must be trimmed, bent, molded (with or without heat), or otherwise modified resulting in alterations beyond minimal self-adjustment.

- This fitting at delivery does require expertise of a certified orthotist or an individual who has specialized training in the provision of the orthosis to fit the item to the individual beneficiary.

In contrast to “minimal self-adjustment,” “more than minimal self-adjustment” is defined as changes made to achieve an individualized fit during the final fitting at the time of delivery of the item that requires the expertise of a certified orthotist or an individual who has equivalent specialized training in the provision of orthotics in compliance with all applicable Federal and State licensure and regulatory requirements. A certified orthotist is defined as an individual who is certified by the American Board for Certification in Orthotics and Prosthetics, Inc., or by the Board for Orthotist/Prosthetist Certification.

In most cases for prefabricated orthoses, the correct coding of the orthosis is dictated by actions that take place at the time of fitting to the beneficiary, either custom-fit (requiring expertise) or OTS (requiring minimal self-adjustment). However, for certain types of orthoses, the HCPCS code narrative that best describes the product does not make a distinction between prefabricated orthoses that are provided as custom-fit or OTS. These code narratives are correct and must be used for Medicare billing, without regard to how the product is provided to the beneficiary at the final delivery.

There are products that may be either fit by the beneficiary or require custom fitting at the time of final delivery. For many of these products, parallel sets of HCPCS codes are available (e.g., L4360, L4361, L4386, L4387, L4396 and L4397) which describe the identical types of items. For some of the products, however, a set of parallel codes is not available. The parallel code sets, when available for identical products, are only differentiated by the nature of the final fitting performed at the time of delivery. The parallel HCPCS code types are:

- HCPCS codes which describe “PREFABRICATED, OFF-THE-SHELF” must be used when minimal self-adjustment is the extent of the fitting performed at delivery.
- HCPCS codes which describe “PREFABRICATED ITEM THAT HAS BEEN TRIMMED, BENT, MOLDED, ASSEMBLED, OR OTHERWISE CUSTOMIZED TO FIT A SPECIFIC PATIENT BY AN INDIVIDUAL WITH EXPERTISE” must be used when more than minimal self-adjustment is necessary at delivery.

Use of CAD/CAM or similar technology to create an orthosis without a positive model of the patient may be considered as custom fitted if the final fitting at the time of delivery to the patient requires more than minimal self-adjustment requiring expertise as described in this section.

Kits are:

- A collection of components, materials, and parts that require further assembly before delivery of the final product.
- The elements of a kit may be packaged and complete from a single source or may be an assemblage of separate components from multiple sources by the supplier.

## Elastic and Similar Stretchable Materials

For items where the HCPCS code specifies “elastic” or other similar terminology for stretchable material, use the code that is most applicable to the item. A NOC (Not Otherwise Classified) or miscellaneous HCPCS code must not be used instead of the specific code. Refer to the long code narrative and any relevant coding guideline for the criteria applicable for each HCPCS code.

For items where the HCPCS code does not specify elastic or other similar terminology for stretchable material, the following guidelines apply:



- Items that are primarily constructed of elastic or other stretchable materials (e.g. support items made of material such as neoprene or spandex (elastane, Lycra®) (not all-inclusive)) must be coded as A4467 (BELT, STRAP, SLEEVE, GARMENT, OR COVERING, ANY TYPE).
- Items that are primarily constructed of elastic or other stretchable materials (e.g. support items made of material such as neoprene or spandex (elastane, Lycra®)) (not all-inclusive)) that contain stays and/or panels must be coded as A4467 (BELT, STRAP, SLEEVE, GARMENT, OR COVERING, ANY TYPE).
- Items that are primarily constructed of inelastic material (e.g., canvas, cotton or nylon (not all-inclusive)) that are incapable of providing the necessary immobilization or support to the body part for which it is designed must be coded using A4467 (BELT, STRAP, SLEEVE, GARMENT, OR COVERING, ANY TYPE).
- Items that are primarily of constructed inelastic material (e.g., canvas, cotton or nylon (not all-inclusive)) that are incapable of providing the necessary immobilization or support to the body part for which it is designed and that have stays and/or panels capable of providing the required immobilization or support to the body part for which it is designed, must be coded using A4467 (BELT, STRAP, SLEEVE, GARMENT, OR COVERING, ANY TYPE).
- Items that are primarily constructed of inelastic material (e.g., canvas, cotton or nylon (not all-inclusive)) capable of providing the necessary immobilization or support to the body part for which it is designed must be coded using the applicable specific HCPCS code for the type of product. A NOC (Not Otherwise Classified) or miscellaneous HCPCS code must not be used instead of the specific code. Refer to the long code narrative and any relevant coding guideline for the criteria applicable for each HCPCS code.
- Items that are primarily of constructed inelastic material (e.g., canvas, cotton or nylon (not all-inclusive)) capable of providing the necessary immobilization or support to the body part for which it is designed and that have stays and/or panels capable of providing the required immobilization or support to the body part for which it is designed, must be coded using the applicable specific HCPCS code for the type of product. A NOC (Not Otherwise Classified) or miscellaneous HCPCS code must not be used instead of the specific code. Refer to the long code narrative and relevant coding guideline for the criteria applicable for each HCPCS code.
- Items that are not capable of providing the necessary immobilization or support to the body part for which it is designed (regardless of materials) must be coded using A9270 (NONCOVERED ITEM OR SERVICE).

Ankle-foot orthoses described by codes L1900, L1910, L1920, L1930, L1932, L1940, L1945, L1950, L1951, L1960, L1970, L1971, L1980, L1990, extend well above the ankle (usually to near the top of the calf) and are fastened around the lower leg above the ankle. These features distinguish them from foot orthotics which are shoe inserts that do not extend above the ankle and ankle gauntlets described by codes L1902, L1904, L1906, L1907.

L1900 (ANKLE FOOT ORTHOSIS, SPRING WIRE, DORSIFLEXION ASSIST CALF BAND, CUSTOM FABRICATED) describes a custom fabricated AFO designed to control inversion, eversion, dorsiflexion, and plantarflexion motions of the ankle foot complex. Primary construction is of two springwire uprights, which are joined to a rigid calf band/cuff, and a component for attaching the orthosis to the sole of an orthopedic shoe. The springwire is contoured into a coiled spring below the ankle and above the shoe sole. The height of the rigid calf band/cuff terminates well-above the ankle (usually near the top of the calf) and the band/cuff is fastened around the lower leg above the ankle. The coiled springwire applies a spring force to resist plantarflexion motion and provide dorsiflexion assist. Included in the code are closure components, and attaching spring wire to the footwear. This AFO is custom fabricated per the DMEPOS quality standards, Appendix C.

L1902 (ANKLE ORTHOSIS, ANKLE GAUNTLET OR SIMILAR, WITH OR WITHOUT JOINTS, PREFABRICATED, OFF-THE-SHELF) describes a prefabricated ankle orthosis (AO) designed to provide compression and resist motion of the ankle foot complex. Primary construction is a sleeve type device (gauntlet) with or without joints. The gauntlet encloses the foot and ankle from the longitudinal arch to at least just above the malleoli. Gauntlet closure may be straps, hook and loop, laces or equal. The orthosis may or may not include joints or hinges for additional support. There are no additional HCPCS codes for this type of prefabricated ankle orthosis.

L1904 (ANKLE ORTHOSIS, ANKLE GAUNTLET OR SIMILAR, WITH OR WITHOUT JOINTS, CUSTOM FABRICATED) describes a custom fabricated AO designed to provide compression and resist motion of the ankle foot complex. Primary construction is a sleeve type device (gauntlet) with or without joints. The gauntlet encloses the foot and ankle from the longitudinal arch to at least just above the malleoli. Gauntlet closure may be straps, hook and loop, laces or equal. The orthosis may or may not include joints or hinges for additional support. This AO is custom fabricated per the DMEPOS quality standards, Appendix C.

L1906 (ANKLE FOOT ORTHOSIS, MULTILIGAMENTOUS, ANKLE SUPPORT, PREFABRICATED, OFF-THE-SHELF) describes a prefabricated AFO which provides multi-directional support to the ankle ligaments while allowing free dorsiflexion and plantarflexion motion. Primary construction contains a rigid footplate with integral ankle joints and uprights extending above and below the ankle joints. Proximal uprights provide surface area contact for stabilization of the footplate and ankle joints. Additional support is from wraparound straps. Included in the code are closures from lacing, webbing, hook and loop, or equal, and additional support strapping. There are no additional HCPCS codes for this type of prefabricated ankle foot orthosis.

L1907 (ANKLE ORTHOSIS, SUPRAMALLEOLAR WITH STRAPS, WITH OR WITHOUT INTERFACE/PADS, CUSTOM FABRICATED) describes a custom fabricated AO designed to control motion of the ankle and mid-foot. Primary construction is of molded plastic designed to control inversion and eversion, and horizontal rotation motions while allowing dorsiflexion and plantarflexion motion of the ankle joint. Included in the code are closure components, soft interface and padding. Trim lines extend from tips of toes to just above the malleoli. This AO is custom fabricated per the DMEPOS quality standards, Appendix C.

L1910 (ANKLE FOOT ORTHOSIS, POSTERIOR, SINGLE BAR, CLASP ATTACHMENT TO SHOE COUNTER, PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT) describes a prefabricated AFO designed to control dorsiflexion and plantarflexion motions of the ankle foot complex. Primary construction is a single flexible upright utilizing a removable clasp-type component attached to the heel portion of a shoe and a rigid calf band/cuff. Height of the rigid calf band/cuff terminates well above the ankle (usually near the top of the calf) and is fastened around the lower leg above the ankle. Included in the code are closure and clasp components. There are no additional HCPCS codes for this type of prefabricated ankle foot orthosis.

L1920 (ANKLE FOOT ORTHOSIS, SINGLE UPRIGHT WITH STATIC OR ADJUSTABLE STOP (PHELPS OR PERLSTEIN TYPE), CUSTOM FABRICATED) describes a custom fabricated AFO designed to control only the plantarflexion motion of the ankle foot complex. Primary construction is a single metal upright which has a pivoting attachment into a sole component attached to an orthopedic shoe. The single rigid upright is joined to a rigid calf band/cuff which terminates well-above the ankle (usually near the top of the calf) and is fastened around the lower leg above the ankle. The pivoting attachment has an integrated component(s) to stop plantarflexion ankle motion while always allowing free dorsiflexion motion. Included in the code are components for closures and attaching the footwear. This AFO is custom fabricated per the DMEPOS quality standards, Appendix C.

L1930 (ANKLE FOOT ORTHOSIS, PLASTIC OR OTHER MATERIAL, PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT) describes a prefabricated AFO designed to control inversion, eversion, dorsiflexion, and plantarflexion motions of the ankle foot complex. Primary construction is a rigid calf cuff and rigid foot plate section joined by a flexible posterior strut. The foot plate must extend to the metatarsal heads and may extend as far as the toe tips. Calf cuff height terminates well-above the ankle (usually near the top of the calf) and is fastened around the lower leg above the ankle and footplate may extend to toe tip. This AFO is constructed from plastic or other materials. Included in the code are closure components.

L1932 (AFO, RIGID ANTERIOR TIBIAL SECTION, TOTAL CARBON FIBER OR EQUAL MATERIAL, PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT) describes a prefabricated AFO designed to control the dorsiflexion and

plantarflexion, and inversion and eversion, motions of the ankle foot complex. Primary construction includes full length foot plate, rigid front shin shell that extends from lower shin region to near tibial tubercle. Rigid strut connects foot plate to shin shell. This AFO is constructed of carbon fiber or equal. Included in the code are closure components and soft interface. There are no additional HCPCS codes for this type of prefabricated ankle foot orthosis.

**L1940 (ANKLE FOOT ORTHOSIS, PLASTIC OR OTHER MATERIAL, CUSTOM FABRICATED)** describes a custom fabricated AFO designed to control inversion, eversion, dorsiflexion, and plantarflexion motions of the ankle foot complex. Primary construction includes rigid foot plate, strut or equal component, which joins footplate to a calf cuff. Calf cuff height terminates well above the ankle (usually to near the top of the calf) and are fastened around the lower leg above the ankle. This AFO can be constructed from flexible and strong thermosetting materials, thermoplastics, or composite type materials. Included in the code are closure components. This AFO is custom fabricated per the DMEPOS quality standards, Appendix C.

**L1945 (ANKLE-FOOT ORTHOSIS (AFO), PLASTIC, RIGID ANTERIOR TIBIAL SECTION (FLOOR REACTION), CUSTOM FABRICATED)** describes a custom fabricated AFO designed to control inversion, eversion, dorsiflexion, plantarflexion, and horizontal rotation motions of the ankle foot complex. Primary construction is a plastic full-length rigid foot plate, rigid shell with Anterior calf cuff typically extending from mid-shin region to tibial tubercle. Rigid strut connects foot plate to shin shell. Shell cutouts are created to aid donning of the AFO. This AFO is constructed of plastic materials. Included in the code are closure components. This AFO is custom fabricated per the DMEPOS quality standards, Appendix C.

**L1950 (ANKLE FOOT ORTHOSIS, SPIRAL, (INSTITUTE OF REHABILITATIVE MEDICINE TYPE), PLASTIC, CUSTOM FABRICATED)** describes a custom fabricated AFO designed to control inversion, eversion, dorsiflexion, plantarflexion, and horizontal rotation motions of the ankle foot complex. Primary construction includes, at minimum, a 90-degree spiral-shaped strut joining the rigid footplate to the rigid calf cuff. Foot plate must extend to the metatarsal heads and may extend as far as the toe tips. Calf cuff height terminates well above the ankle (usually to near the top of the calf) and are fastened around the lower leg above the ankle. This AFO can be constructed from flexible and strong thermosetting materials, thermoplastics, or composite type materials. Included in the code are closure components. This AFO is custom fabricated per the DMEPOS quality standards, Appendix C.

**L1951 (ANKLE FOOT ORTHOSIS, SPIRAL, (INSTITUTE OF REHABILITATIVE MEDICINE TYPE), PLASTIC OR OTHER MATERIAL, PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT)** describes a prefabricated AFO designed to control dorsiflexion and plantarflexion motions of the ankle foot complex. Primary construction includes, at minimum, a 90-degree spiral-shaped strut linking the footplate to the rigid calf cuff. Foot plate must extend to the metatarsal heads and may extend as far as the toe tips. Calf cuff height terminates well above the ankle (usually to near the top of the calf) and are fastened around the lower leg above the ankle. The AFO can be constructed from flexible and strong thermosetting materials, thermoplastics, or composite type materials. Included in the code are closure components. There are no additional HCPCS codes for this type of prefabricated ankle foot orthosis.

**L1960 (ANKLE FOOT ORTHOSIS, POSTERIOR SOLID ANKLE, PLASTIC, CUSTOM FABRICATED)** describes an AFO which provides ankle control for beneficiaries with musculoskeletal or neuromuscular dysfunction. The AFO is designed to provide rigid immobilization of the ankle-foot complex in the sagittal, coronal, and transverse planes. The custom fabricated solid ankle AFO can be constructed from thermosetting materials, thermoplastics, or composite type materials. This AFO is custom fabricated per the DMEPOS quality standards, Appendix C.

**L1970 (ANKLE FOOT ORTHOSIS, PLASTIC WITH ANKLE JOINT, CUSTOM FABRICATED)** describes a custom fabricated AFO designed to control inversion, eversion, dorsiflexion, plantarflexion, and horizontal rotation motions of the ankle foot complex. Primary construction is a rigid shell-like or equal structure containing a hinge or joint mechanism. Structure contacts calf, lower leg, and foot to provide control. Foot plate must extend to the metatarsal heads and

may extend as far as the toe tips. Calf cuff height terminates well above the ankle (usually to near the top of the calf) and are fastened around the lower leg above the ankle. This AFO can be constructed from thermosetting materials, thermoplastics, or composite type materials. Included in the code are closure components. This AFO is custom fabricated per the DMEPOS quality standards, Appendix C.

L1971 (ANKLE FOOT ORTHOSIS, PLASTIC OR OTHER MATERIAL WITH ANKLE JOINT, PREFABRICATED, INCLUDES FITTING AND ADJUSTMENT) describes a prefabricated AFO designed to control inversion, eversion, dorsiflexion, plantarflexion, and horizontal rotation motions of the ankle foot complex. Primary construction is a rigid shell-like or equal structure containing a hinge or joint mechanism. Structure contacts calf, lower leg, and foot to provide control. Foot plate must extend to the metatarsal heads and may extend as far as the toe tips. Calf cuff height terminates well above the ankle. Included in the code are closure components.

L1980 (ANKLE FOOT ORTHOSIS, SINGLE UPRIGHT FREE PLANTAR DORSIFLEXION, SOLID STIRRUP, CALF BAND/CUFF (SINGLE BAR 'BK' ORTHOSIS), CUSTOM FABRICATED) describes a custom fabricated AFO designed to control inversion and eversion motions of the ankle foot complex. Primary construction is a single metal upright (medial or lateral) joined to a rigid calf band, free motion ankle joint, and stirrup component attached to an orthopedic shoe. Height of calf cuff/band terminates well above the ankle (usually to near the top of the calf) and is fastened around the lower leg above the ankle. Included in the code are components for closures and attaching the footwear. This AFO is custom fabricated per the DMEPOS quality standards, Appendix C.

L1990 (ANKLE FOOT ORTHOSIS, DOUBLE UPRIGHT FREE PLANTAR DORSIFLEXION, SOLID STIRRUP, CALF BAND/CUFF (DOUBLE BAR 'BK' ORTHOSIS), CUSTOM FABRICATED) describes a custom fabricated AFO designed to control inversion and eversion motions of the ankle foot complex. Primary construction are two metal uprights (medial and lateral) joined to a rigid calf band, free motion ankle joints, and stirrup component attached to an orthopedic shoe. Height of calf cuff/band terminates well above the ankle (usually to near the top of the calf) and is fastened around the lower leg above the ankle. Included in the code are components for closures and attaching the footwear. This AFO is custom fabricated per the DMEPOS quality standards, Appendix C.

L2005 (KNEE ANKLE FOOT ORTHOSIS, ANY MATERIAL, SINGLE OR DOUBLE UPRIGHT, STANCE CONTROL, AUTOMATIC LOCK AND SWING PHASE RELEASE, ANY TYPE ACTIVATION, INCLUDES ANKLE JOINT, ANY TYPE, CUSTOM FABRICATED) describes a custom fabricated, single or double upright KAFO with an automatic lock and swing phase release knee joint. Automatic knee lock is activated by any method such as mechanical or electrical. The custom fabricated KAFO can be constructed from thermosetting materials, thermoplastics, or composite type materials. It includes any type ankle joint and closure components. There are no additional add-on codes for L2005. This KAFO is custom fabricated per the DMEPOS Quality Standards, Appendix C.

L2006 (KNEE ANKLE FOOT DEVICE, ANY MATERIAL, SINGLE OR DOUBLE UPRIGHT, SWING AND STANCE PHASE MICROPROCESSOR CONTROL WITH ADJUSTABILITY, INCLUDES ALL COMPONENTS (E.G., SENSORS, BATTERIES, CHARGER), ANY TYPE ACTIVATION, WITH OR WITHOUT ANKLE JOINT(S), CUSTOM FABRICATED) describes a custom fabricated, single or double upright KAFO with an adjustable microprocessor control feature which provides resistance to stance and swing phase knee joint motion. The custom fabricated KAFO can be constructed from thermosetting materials, thermoplastics, or composite type materials. There are no additional add-on codes for this KAFO. This KAFO is custom fabricated per the DMEPOS Quality Standards, Appendix C.

L2340 (ADDITION TO LOWER EXTREMITY, PRE-TIBIAL SHELL, MOLDED TO PATIENT MODEL) is a pre-tibial shell, custom fabricated, that provides a rigid overlapping interlocking anterior tibial control between the tibial tuberosity to a point no greater than 3 inches proximal to the medial malleolus. The pre-tibial shell can be constructed from thermosetting materials, thermoplastics, or composite type materials.

Code L2755 (ADDITION TO LOWER EXTREMITY ORTHOSIS, HIGH STRENGTH, LIGHTWEIGHT MATERIAL, ALL HYBRID LAMINATION/PREPREG COMPOSITE, PER SEGMENT, FOR CUSTOM FABRICATED ORTHOSIS ONLY) describes an addition to a lower extremity orthosis composed of high strength and/or lightweight material such as Kevlar<sup>®</sup>, carbon fiber or other laminated or impregnated composite material.

A non-ambulatory ankle-foot orthosis may be either an ankle contracture splint, night splint or a foot drop splint.

A static or dynamic positioning ankle-foot orthosis (L4396, L4397) is a prefabricated ankle-foot orthosis which has all of the following characteristics:

1. Designed to accommodate either plantar fasciitis or an ankle with a plantar flexion contracture up to 45°; and,
2. Applies a dorsiflexion force to the ankle; and,
3. Used by a beneficiary who is minimally ambulatory, or non-ambulatory; and,
4. Has a soft interface.

A foot drop splint/recumbent positioning device (L4398) is a prefabricated ankle-foot orthosis which has all of the following characteristics:

1. Designed to maintain the foot at a fixed position of 0° (i.e., perpendicular to the lower leg); and,
2. Not designed to accommodate an ankle with a plantar flexion contracture; and,
3. Used by a beneficiary who is non-ambulatory; and,
4. Has a soft interface.

Code L4631 describes a Charcot's restraint orthotic walker (CROW) orthosis. Code L4631 is a custom fabricated ankle-foot orthosis which has all of the following characteristics:

1. Designed to maintain the foot at a fixed position of 0° (i.e., perpendicular to the lower leg); and,
2. Allows for varus or valgus deformity correction; and,
3. Contains a rocker bottom sole with a custom arch support; and,
4. Incorporates a rigid anterior tibial shell; and,
5. Used by a beneficiary who is ambulatory; and,
6. Has a soft interface
7. Totally encapsulated.

Code L4631 includes all additions including straps and closures. No additional codes may be billed with code L4631.

Codes L1900, L1904, L1907, L1920, L1940, L1945, L1950, L1960, L1970, L1980, L1990, L2000, L2005, L2006, L2010, L2020, L2030, L2034, L2036, L2037, L2038, L2106, L2108, L2126, L2128 and L4631 describe custom-fabricated orthoses. These codes must not be used for prefabricated orthoses.

Codes L1902, L1906, L1910, L1930, L1932, L1951, L1971, L2035, L2112, L2114, L2116, L2132, L2134, L2136,

L4350, L4360, L4361, L4370, L4386, L4387, L4392, L4394, L4396, L4397, and L4398 describe prefabricated orthoses. These codes must not be used for custom-fabricated orthoses.

Codes L1900, L1902, L1904, L1906, L1907, L1910, L1920, L1930, L1932, L1940, L1945, L1950, L1951, L1960, L1970, L1971, L1980, L1990, L2106, L2108, L2112, L2114, L2116, L4350, L4360, L4361, L4386, L4387 and L4631 are used for an ankle-foot orthosis which is worn when a beneficiary is ambulatory.

Codes L4396 and L4397 are used for an ankle-foot orthosis which is worn when a beneficiary is non-ambulatory, or minimally ambulatory.

Code L4398 is used for an ankle-foot orthosis which is worn when a beneficiary is non-ambulatory.

Some replacement items have unique Healthcare Common Procedure Coding System (HCPCS) codes. Replacement components that do not have a unique HCPCS code must be billed with a "not otherwise specified" code - L2999. Items that have unique codes must not be billed using a NOC code.

HCPCS codes L4050 and L4055 do not describe replacement soft interfaces used with contracture orthoses.

Foot orthotics are shoe inserts that do not extend above the ankle. Foot orthotics, when considered for coverage as integral components of a covered leg brace, must be billed using L-codes (L3000, L3001, L3002, L3003, L3010, L3020, L3030, L3031, L3040, L3050, L3060, L3070, L3080, L3090) (refer to the Orthopedic Footwear policy for more information). Multiple density foot orthotics that are provisioned in the treatment of a beneficiary's diabetes-related condition(s), must not be billed using L-codes but rather must be billed using A-codes. The A-codes for billing of such foot orthotics are A5512, A5513, and A5514 (code A5514 effective for DOS on or after 01/01/2019) (refer to the Therapeutic Shoes for Persons with Diabetes policy for more information).

All claims for devices that contain a concentric adjustable torsion style mechanism in the knee joint for any condition other than an assistive function to joint extension motion must be coded as durable medical equipment using code E1810 (DYNAMIC ADJUSTABLE KNEE EXTENSION / FLEXION DEVICE, INCLUDES SOFT INTERFACE MATERIAL). If a concentric adjustable torsion style mechanism in the knee joint is used solely to provide an assistive function for joint extension, it must be coded as L2999 (See Coverage Indications, Limitations, and/or Medical Necessity section of the related LCD).

All claims for devices that contain a concentric adjustable torsion style mechanism in the ankle joint for any condition other than an assistive function to joint plantar- or dorsiflexion motion must be coded as durable medical equipment using code E1815 (DYNAMIC ADJUSTABLE ANKLE EXTENSION/FLEXION DEVICE, INCLUDES SOFT INTERFACE MATERIAL). If a concentric adjustable torsion style mechanism in the ankle joint is used solely to provide an assistive function for joint plantar or dorsiflexion, it must be coded as L2999 (See Coverage Indications, Limitations, and/or Medical Necessity section of the related LCD).

Claims for devices that contain a concentric adjustable torsion style mechanism in the knee or ankle joint and that are being used to treat any condition other than an assistive function to joint extension motion are not covered under the braces benefit and will be denied as incorrect coding when billed using code L2999 (See Coverage Indications, Limitations, and/or Medical Necessity section of the related LCD).

Code A9283 (FOOT PRESSURE OFF LOADING/SUPPORTIVE DEVICE, ANY TYPE, EACH) is used for an item that is designed primarily to reduce pressure on the sole or heel of the foot. It may be a shoe-like item, an item that is used inside a shoe and may or may not extend outside the shoe, or an item that is attached to a shoe. It may be prefabricated or custom fabricated. Code A9283 does not include items that meet the definition of a therapeutic shoe for diabetes (A5500, A5501).

Prefabricated walking boots are coded using codes L4360, L4361, L4386 or L4387. These codes describe complete products. Claims for add-on codes used with walking boots coded L4360, L4361, L4386 or L4387 will be denied as unbundling.

Certain products may have both covered and non-covered uses, as defined by the braces benefit category, and must be coded based on the beneficiary's condition. For example, when used as a brace for the treatment of an orthopedic condition, walking boots are coded L4360, L4361, L4386, L4387 and L4631. However, walking boots must be coded A9283 when used solely for the prevention or treatment of a lower extremity ulcer or pressure reduction.

When using code A9283, there is no separate billing using addition codes. Replacement liners for devices billed with A9283 must be billed with code A9270 (NON-COVERED ITEM OR SERVICE).

Code A9285 (INVERSION/EVERSION CORRECTION DEVICE) is designed to provide off-loading pressure to the knee for the treatment of knee osteoarthritis. The device is applied at the foot and extends across the ankle to apply pressure to the side of the leg below the knee. It does not provide any support at the ankle.

The right (RT) and left (LT) modifiers must be used with orthosis base codes, additions, and replacement parts. Effective for claims with dates of service (DOS) on or after 3/1/2019, when the same code for bilateral items (left and right) is billed on the same date of service, bill each item on two separate claim lines using the RT and LT modifiers and 1 unit of service (UOS) on each claim line. Do not use the RTLTLT modifier on the same claim line and billed with 2 UOS. Claims billed without modifiers RT and/or LT, or with RTLTLT on the same claim line and 2 UOS, will be rejected as incorrect coding.

Code L4205 (REPAIR OF ORTHOTIC DEVICE, LABOR COMPONENT, PER 15 MINUTES) may only be billed for time involved with the actual repair of an orthosis or for medically necessary adjustments made more than 90 days after delivery. Code L4205 must not be used to bill for time involved with other professional services including, but not limited to:

- Evaluating the beneficiary
- Taking measurements, making a cast, making a model, use of CAD/CAM
- Making modifications to a prefabricated item to fit it to the individual beneficiary
- Follow-up visits
- Making adjustments at the time of or within 90 days after delivery

Suppliers must distinguish between repair and replacement of an orthosis. When an orthotic is replaced, there is no separate billing for the above services because reimbursement for these services is included in the allowance for the replacement item.

Repairs to a covered orthosis due to wear or to accidental damage are covered when they are necessary to make the orthosis functional. The reason for the repair must be documented in the supplier's record. If the expense for repairs exceeds the estimated expense of providing another entire orthosis, no payment will be made for the amount in excess.

The allowance for the labor involved in replacing an orthotic component that is coded with a specific L-code is included in the allowance for that component. The allowance for the labor involved in replacing an orthotic component that is coded with the miscellaneous code L4210 is separately payable in addition to the allowance for that component.

Addition codes L4002, L4010, L4020, L4030, L4040, L4045, L4050, L4055, L4060, L4070, L4080, L4090, L4100, L4110, L4130, and L4392 are for billing of replacement components and are not payable at initial issue of a base orthosis. When claims for code(s) L4002, L4010, L4020, L4030, L4040, L4045, L4050, L4055, L4060, L4070, L4080,

L4090, L4100, L4110, L4130, and L4392 are billed at the time of initial issue of a base orthosis, the addition code(s) will be rejected as incorrect coding.

Suppliers should contact the Pricing, Data Analysis, and Coding (PDAC) contractor for guidance on the correct coding of these items.

CODING VERIFICATION REVIEW

The only products which may be billed using the following list of HCPCS codes are those for which a written coding verification review (CVR) has been made by the PDAC contractor and subsequently published on the Product Classification List (PCL). Information concerning the documentation that must be submitted to the PDAC for a CVR can be found on the PDAC web site or by contacting the PDAC. A PCL with products which have received a coding verification can be found on the PDAC web site. The effective date of the CVR is included for each code.

Effective for claims with dates of service on or after April 1, 2012:  
L1906

Effective for claims with dates of service on or after January 1, 2020:  
L2006

If a product is billed to Medicare using a HCPCS code that requires written CVR, but the product is not on the PCL for that particular HCPCS code, then the claim line will be denied as incorrect coding.

# Coding Information

**CPT/HCPCS Codes**

N/A

**ICD-10-CM Codes that Support Medical Necessity**

**Group 1 Paragraph:**

The presence of an ICD-10 code listed in this section is not sufficient by itself to assure coverage. Refer to the LCD section on “**Coverage Indications, Limitations, and/or Medical Necessity**” for other coverage criteria and payment information.

**For HCPCS codes L4392, L4396 and L4397:**

**Group 1 Codes:** (5 Codes)

CODE	DESCRIPTION
M24.571	Contracture, right ankle
M24.572	Contracture, left ankle
M24.574	Contracture, right foot



CODE	DESCRIPTION
M24.575	Contracture, left foot
M72.2	Plantar fascial fibromatosis

**Group 2 Paragraph:**

**For HCPCS code L4631:**

**Group 2 Codes:** (7 Codes)

CODE	DESCRIPTION
A52.16	Charcot's arthropathy (tabetic)
E08.610	Diabetes mellitus due to underlying condition with diabetic neuropathic arthropathy
E09.610	Drug or chemical induced diabetes mellitus with diabetic neuropathic arthropathy
E10.610	Type 1 diabetes mellitus with diabetic neuropathic arthropathy
E11.610	Type 2 diabetes mellitus with diabetic neuropathic arthropathy
M14.671	Charcot's joint, right ankle and foot
M14.672	Charcot's joint, left ankle and foot

**ICD-10-CM Codes that DO NOT Support Medical Necessity**

**Group 1 Paragraph:**

For the specific HCPCS codes indicated above, all ICD-10 codes that are not specified in the preceding section. For all other HCPCS codes, diagnoses are not specified.

**Group 1 Codes:**

N/A

**ICD-10-PCS Codes**

N/A

**Additional ICD-10 Information**

N/A

**Bill Type Codes**

Contractors may specify Bill Types to help providers identify those Bill Types typically used to report this service. Absence of a Bill Type does not guarantee that the article does not apply to that Bill Type. Complete absence of all Bill Types indicates that coverage is not influenced by Bill Type and the article should be assumed to apply equally to all claims.

N/A

### Revenue Codes

Contractors may specify Revenue Codes to help providers identify those Revenue Codes typically used to report this service. In most instances Revenue Codes are purely advisory. Unless specified in the article, services reported under other Revenue Codes are equally subject to this coverage determination. Complete absence of all Revenue Codes indicates that coverage is not influenced by Revenue Code and the article should be assumed to apply equally to all Revenue Codes.

N/A

## Revision History Information

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
02/01/2021	R14	<p>Revision Effective Date: 02/01/2021</p> <p>NON-MEDICAL NECESSITY COVERAGE AND PAYMENT RULES:</p> <p>Revised: "Braces Benefit" to "braces benefit"</p> <p>Revised: "Coding Guidelines" to "CODING GUIDELINES"</p> <p>Revised: "Ankle-Foot Orthosis" to "ankle-foot orthosis"</p> <p>Revised: "CAD-CAM" to "computer-aided design/computer-aided manufacturing (CAD/CAM)"</p> <p>GENERAL REQUIREMENTS:</p> <p>Revised: "Coding Guidelines" to "CODING GUIDELINES"</p> <p>Revised: "off-the-self" to "OTS"</p> <p>MODIFIERS:</p> <p>Revised: "KX, GA, and GZ MODIFIERS:" to "GA, GZ, KX, LT and RT MODIFIERS:"</p> <p>Added: Statement regarding use of RT and LT, with reference to CODING GUIDELINES section for additional information</p> <p>CODING GUIDELINES:</p> <p>Revised: Language describing parallel code set availability for identical types of products</p> <p>Revised: Coding guideline language for HCPCS codes L1900, L1902, L1904, L1906, L1907, L1910, L1920, L1930, L1932, L1940, L1945, L1950, L1951, L1960, L1970, L1971, L1980, L1990, and L2006</p> <p>Revised: Coding guideline information for HCPCS codes L1910, L1932, and L1951, to include that there are no additional HCPCS codes for these types of orthoses</p> <p>Added: Long HCPCS descriptions to coding guidelines for HCPCS codes L2006, L2340, and L2755</p> <p>Revised: Language describing the coding of foot orthotics as L-codes or A-codes</p> <p>Revised: "Durable Medical Equipment" to "durable medical equipment"</p> <p>Revised: "Braces" to "braces"</p> <p>Revised: Format of long HCPCS descriptions for HCPCS codes A9270 and L4205</p>

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
		<i>05/26/2022: At this time 21st Century Cures Act applies to new and revised LCDs which require comment and notice. This revision is to an article that is not a local coverage determination.</i>
02/01/2021	R13	<p>Revision Effective Date: 02/01/2021</p> <p>REQUIREMENTS FOR SPECIFIC DMEPOS ITEMS PURSUANT TO FINAL RULE 1713 (84 FED. REG VOL 217):</p> <p>Removed: "The link will be located here once it is available."</p> <p>Added: "The required Face-to-Face Encounter and Written Order Prior to Delivery List is available here." with a hyperlink to the list</p> <p><i>04/14/2022: At this time 21st Century Cures Act applies to new and revised LCDs which require comment and notice. This revision is to an article that is not a local coverage determination.</i></p>
02/01/2021	R12	<p>Revision Effective Date: 02/01/2021</p> <p>CODING GUIDELINES:</p> <p>Removed: Coding verification review information for HCPCS codes L1906 and L2006</p> <p>CODING VERIFICATION REVIEW:</p> <p>Added: Section header and PDAC coding verification review information</p> <p>Added: Coding verification review information for HCPCS codes L1906 and L2006</p> <p><i>03/11/2021: At this time 21st Century Cures Act applies to new and revised LCDs which require comment and notice. This revision is to an article that is not a local coverage determination.</i></p>
02/01/2021	R11	<p>Revision Effective Date: 02/01/2021</p> <p>NON-MEDICAL NECESSITY COVERAGE AND PAYMENT RULES:</p> <p>Revised: Prefabricated orthoses (OTS or custom-fit) incorrect coding denial language, by removing "with a statutory denial"</p> <p>Added: Definitions of prefabricated and custom fabricated orthoses</p> <p>Clarified: Billing of custom fabricated additions</p> <p>CODING GUIDELINES:</p> <p>Added: Coding guideline information for HCPCS code L2005</p> <p><i>11/19/2020: At this time 21st Century Cures Act applies to new and revised LCDs which require comment and notice. This revision is to an article that is not a local coverage determination.</i></p>
10/01/2020	R10	<p>Revision Effective Date: 10/01/2020</p> <p>MISCELLANEOUS:</p> <p>Clarified: Custom fabricated items that do not have specific HCPCS codes require</p>

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
		<p>additional information in claim narrative</p> <p>Added: Statement referring to the LCD-related Standard Documentation Requirements article for more information</p> <p>ICD-10 CODES THAT SUPPORT MEDICAL NECESSITY:</p> <p>Removed: Non-specific ICD-10 codes M24.573 and M24.576 from Group 1 codes</p> <p>Removed: Non-specific ICD-10 code M14.679 from Group 2 codes</p> <p><i>09/24/2020: At this time 21st Century Cures Act applies to new and revised LCDs which require comment and notice. This revision is to an article that is not a local coverage determination.</i></p>
07/01/2020	R9	<p>Revision Effective Date: 07/01/2020</p> <p>ICD-10 CODES THAT SUPPORT MEDICAL NECESSITY:</p> <p>Added: ICD-10 diagnosis codes E08.610, E09.610, E10.610, and E11.610 to Group 2 Codes for L4631</p> <p><i>06/04/2020: At this time 21st Century Cures Act applies to new and revised LCDs which require comment and notice. This revision is to an article that is not a local coverage determination.</i></p>
01/01/2020	R8	<p>Revision Effective Date: 01/01/2020</p> <p>REQUIREMENTS FOR SPECIFIC DMEPOS ITEMS PURSUANT TO FINAL RULE 1713 (84 Fed. Reg Vol 217):</p> <p>Added: Section and related information based on Final Rule 1713</p> <p>POLICY SPECIFIC DOCUMENTATION REQUIREMENTS:</p> <p>Revised: "ordering physician's" to "treating practitioner's"</p> <p>Revised: "physician's" to "practitioner's"</p> <p>Revised: Format of HCPCS code references, from code 'spans' to individually-listed HCPCS</p> <p>CODING GUIDELINES:</p> <p>Revised: Format of HCPCS code references, from code 'spans' to individually-listed HCPCS</p> <p>Added: Coding Guidelines for L1900, L1902, L1904, L1907, L1910, L1920, L1930, L1932, L1940, L1945, L1950, L1951, L1970, L1971, L1980, and L1990</p> <p>Revised: L1906 Coding Guideline</p> <p>Revised: L2006 Coding Guideline per quarterly HCPCS code update</p> <p>Removed: HCPCS K0903</p> <p>Added: HCPCS A5514, crosswalk from K0903</p> <p>Removed: Reference of effective DOS for K0903</p> <p>Added: Reference of effective DOS for A5514</p> <p><i>02/20/2020: At this time 21st Century Cures Act applies to new and revised LCDs which require comment and notice. This revision is to an article that is not a local coverage determination.</i></p>

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
01/01/2020	R7	<p>Revision Effective Date: 01/01/2020</p> <p>CODING GUIDELINES:</p> <p>Added: L2006 Coding Guideline</p> <p>ICD-10 CODES THAT SUPPORT MEDICAL NECESSITY:</p> <p>Revised: Section header "ICD-10 Codes that are Covered" updated to "ICD-10 Codes that Support Medical Necessity"</p> <p>ICD-10 CODES THAT DO NOT SUPPORT MEDICAL NECESSITY:</p> <p>Revised: Section header "ICD-10 Codes that are Not Covered" updated to "ICD-10 Codes that DO NOT Support Medical Necessity"</p> <p><i>12/19/2019: At this time 21st Century Cures Act applies to new and revised LCDs which require comment and notice. This revision is to an article that is not a local coverage determination.</i></p>
01/01/2019	R6	<p>Revision Effective Date: 01/01/2019</p> <p>CODING GUIDELINES:</p> <p>Clarified: Custom fit requirements</p> <p>Revised: Coding instructions for prefabricated orthoses without distinction of OTS or custom-fit.</p> <p>Revised: RT and LT modifier billing instructions (Effective 03/01/2019)</p> <p>ICD-10 CODES THAT ARE COVERED:</p> <p>Added: All diagnosis codes formerly listed in the LCD</p> <p>ICD-10 CODES THAT ARE NOT COVERED:</p> <p>Added: Notation excluding unlisted diagnosis codes from coverage for specific HCPCS codes. Notation that for all other HCPCS codes, diagnoses are not specified.</p> <p><i>03/28/2019: At this time 21st Century Cures Act applies to new and revised LCDs which require comment and notice. This revision is to an article that is not a local coverage determination.</i></p>
01/01/2017	R5	<p>Revision Effective Date: 01/01/2017</p> <p>CODING GUIDELINES:</p> <p>Revised: Code pairs to accurately reflect parallel codes</p> <p>Updated: HCPCS code narratives to align with HCPCS code table</p> <p>Added: Walking boot add-on bundling information</p> <p><i>04/05/2018: At this time 21st Century Cures Act applies to new and revised LCDs that restrict coverage, which require comment and notice. This revision is to an article that is not a local coverage determination.</i></p>
01/01/2017	R4	<p>Revision Effective Date: 01/01/2017</p> <p>NON-MEDICAL NECESSITY COVERAGE AND PAYMENT RULES:</p> <p>Revised: Brace Benefit explanation to remove reference to "counterforce" that is no longer applicable</p>

REVISION HISTORY DATE	REVISION HISTORY NUMBER	REVISION HISTORY EXPLANATION
		<p>Revised: Prefabricated and off-the-shelf (OTS) "minimal self-adjustment" regulatory definition discussion to improve consistency with regulatory definition of minimal self-adjustment</p> <p>Deleted: A4466</p> <p>Added: A4467</p> <p>Added: Instructions for A9285</p> <p>Added: Policy specific documentation requirements from LCD</p> <p>CODING GUIDELINES:</p> <p>Removed: Reference to classification algorithm summary</p> <p>Revised: OTS and custom-fit definitions to improve consistency with regulatory definition of "minimal self-adjustment"</p> <p>Added: Section on coding of elastic and similar materials</p> <p>Deleted: A4466</p> <p>Added: A4467</p> <p>Added A9285</p> <p>RELATED LOCAL COVERAGE DOCUMENTS:</p> <p>Added: LCD-related Standard Documentation Requirements Language Article</p>
07/01/2016	R3	Effective July 1, 2016 oversight for DME MAC Articles is the responsibility of CGS Administrators, LLC 18003 and 17013 and Noridian Healthcare Solutions, LLC 19003 and 16013. No other changes have been made to the Articles.
01/01/2016	R2	<p><b>Revision Effective Date: 01/01/2016</b></p> <p>CODING GUIDELINES:</p> <p>Added: L4361 "clerical correction"</p>
10/01/2015	R1	<p>Revision Effective Date: 01/01/2015</p> <p>NON-MEDICAL NECESSITY COVERAGE AND PAYMENT RULES:</p> <p>Added: Information for hospital and SNF reimbursement</p> <p>CODING GUIDELINES:</p> <p>Added: Reference to classification algorithm summary</p>

## Associated Documents

### Related Local Coverage Documents

#### Articles

[A55426 - Standard Documentation Requirements for All Claims Submitted to DME MACs](#)

#### LCDs

[L33686 - Ankle-Foot/Knee-Ankle-Foot Orthosis](#)

### Related National Coverage Documents

N/A

### Statutory Requirements URLs

N/A

## Rules and Regulations URLs

N/A

## CMS Manual Explanations URLs

N/A

## Other URLs

N/A

## Public Versions

UPDATED ON	EFFECTIVE DATES	STATUS
05/18/2022	02/01/2021 - N/A	Currently in Effect (This Version)
04/07/2022	02/01/2021 - N/A	Superseded
03/05/2021	02/01/2021 - N/A	Superseded
11/13/2020	02/01/2021 - N/A	Superseded
Some older versions have been archived. Please visit the MCD Archive Site to retrieve them.		

---

# Keywords

N/A